HANSON SCALES

Condensed Catalog No. 29

PERSONAL SCALE

DIETETIC SCALES



WEIGH-MASTER Hi Dial Model No. 700

Modern - Practical

A new concept in personal weight scales. The 8" dial permits large numerals and graduations that are easily read at the elevation of 32" above the floor.

SPECIFICATIONS

Capacity: 300 pounds by pounds.

Dial: 8" diameter elevated 32" above floor.

Finish: White baked enamel.

Platform: 13" x 12". Cast aluminum, Black rubber mat.

Floor space required: $15\frac{1}{2}$ " x 12".

Base: Cast Iron.

Net weight: 35 pounds.

Shipping weight: 50 pounds.

List Price\$49.50

NO WEIGHTS TO ADJUST
AUTOMATICALLY REGISTERS YOUR CORRECT WEIGHT

SPECIFICATIONS

No. 1411......List \$15.00

Capacity: 500 grams x 2 grams.

Rotating Dial: 61/2" dia., glass protected, stainless steel bezel.

Finish: White enamel.

Platform: 51/2" square, stainless steel.

Dimensions: 91/2" x 61/4" x 61/2".
Shipping weight: Case of eight—40 lbs.

No. 1440......List \$10.00 Same as 1411 without glass protected dial. Diol: 6½" dia. enamel.

Shipping weight: Case of eight—37 lbs.
No. 1460......List \$10.00 //. 50

Capacity: 1000 grams x 4 grams.
Other specifications same as 1440.

SPECIFICATIONS

No. 1475.....List \$7.50 8.00

Capacity: 200 grams x 2 grams.

Finish: White plastic.

Dial: 2" x 5" white enamel.

Platform: 3½" dia. aluminum.

Container: Round plastic plate 5" dia, x 11/4" deep.

Dimensions: $6\frac{1}{2}$ " x $5\frac{1}{2}$ " x $2\frac{1}{4}$ ".

Shipping weight: 8 pounds, case of



Travelers Model

No. 1475

NURSERY SCALES

PROFESSIONAL MODEL - BEAM TYPE



Model No. 3036

Tray parallel to reading beam so that a baby can be weighed with convenience by 1/4 ounces. Three chrome plated beams.

- 1. 2 lbs. x 1/4 oz.
- 2. 34 lbs. x 2 lbs.
- 3. Adjustment weight for tare.

SPECIFICATIONS

Capacity: 36 lbs. x ¼ oz.

Finish: White baked enamel.

Dimensions: Scale 12½" x 8".

Tray 19¼" x 11".

Imported, rechecked, and guaranteed by the Hanson Scale Co.



No. 3025, an attractive home nursery scale easy for mothers to use; both hands are free to handle the baby, no beams or weights to adjust. Recommended by doctors and pediatricians for home use.

The attractive dial design is composed of nursery characters in color with large numerals and easily read graduations.

The Answer to a Cook's Dream

Take the guesswork out of cooking and you eliminate the basic cause of most failures. The Cook-O-Meter indicates flour, butter, sugar and milk by cups as well as by weight.

SPECIFICATIONS

Capacity: 10 pounds by ounces, indicates cup measurements of butter, flour, sugar and milk.

Dial: 61/2" rotating; large numerals and easy to read graduations in black on white background. Measurements of butter, sugar, flour, etc., easily read on individual color bands.

Adjustment: The pointer can be adjusted to zero, eitner by rotating the dial or by adjusting nut on top of the scale.

Construction: Carefully assembled for accurate recording.

Dimensions: 93/4" x 61/4" x 61/2".

Finish: White durable enamel.

Platform: 51/2" square, stainless steel.

Packing: One to a corrugated carton. Weight packed 51/2 pounds. Master carton of eight. 44 pounds.



No. 1310-List \$7.95

HANSON JR. MODEL 158

LIST \$3.25

HANSON JR

The Hanson Jr. offers a scale of particular appeal for use in a small office or home. Chart on platform computes postage up to 8 ounces for first class, air mail and merchandise.

SPECIFICATIONS

Capacity: 8 ounces by 1/2 oz.

Color: Light grey Lustron plastic.

Platform: 21/2" x 15/8".

Dimensions, overall: 43/4" wide, 11/2" deep, 41/4" high. Net weight

Packing: One to an attractive set up box, six to a shipping carton, 48 to a master carton.

Weight packed: Master carton of 48-26 pounds.

POSTAL SCALES

2.95

New No. 1546 redesigned for beauty combined with unusual accuracy. Ideal desk mail scale for office or home use. The case is durable, everlasting finish of Lustron plastic. Computes postage for air up to 8 oz., first class and merchandise mail up to 2 lbs.

SPECIFICATIONS

4.95 Model No. 1546.....List \$5.25

Capacity: 2 pounds by ounces.

Finish: Marbleized gray Lustron plastic.

Platform: 2" x 3".

Dimensions: 61/2" high x 51/2" x

Dial: White with red figures indicating air, first-class and merchandise postage rates. Black figures for pounds and ounces.

Shipping weight: Master carton of 6-8 pounds.



No. 1546

No. 1509 [Illustrated]—Capacity: 5 lbs. by ½ ounce. Computes postage for air up to 8 oz., first class and merchandise mail up to 4 lbs. Easy to use. Place mail matter on the platform and pointer automatically indicates the correct weight and postage. Stainless steel platform on Models No. 1509 and 1530.

SPECIFICATIONS

o. 1509.....List \$9.75 Dial: 6½" diameter,

glass covered.
Platform: 5½" square.
Dimensions: 6½" x 6½"
by 9½".
Shipping weight: 5 lbs.
each. Eight to master carton.

1530 List \$9.75 Capacity: 25 lbs. x

ounce. Computes parcel post (4th class mail) only,

other specifications same as 1509.

o. 1515......List \$12.00
Capacity: 50 lbs. x 2
ounces.

Computes parcel post (4th class mail) only.

Dial: 8" dia., glass cov-

ered.
Plotform: 7½" square.
Dimensions: 8" x 7½" x

Shipping weight: 9 lbs. each, Six to master car-



No. 1509



HOUSEHOLD SCALES

Attractive in appearance and finish. Durable and rugged for accurate weighing service, Precision calibrated springs. Easy to read airplane dial, Adjustment nut to balance a scoop or container.

SPECIFICATIONS

No. 1371 (Illustrated) List \$6.95

Capacity: 25 lbs. x 1 ounce.

Dial: 6½" dia., glass protected, stainless steel bezel.

Dimensions: 93/4" x 61/4" x

Platform: 5½" square, stainless steel.

Color: White:

Shipping weight: Master carton of eight—40 lbs.

No. 2000.....List \$4.75

Same as 1371 without glass protected dial.

Color: White, with red, black or yellow platform,

Dial: 61/2" enamel.

Shipping weight: Master carton of eight—34 lbs.

Georgia approved type

No. 1371 Ga.....\$6.95

No. 2000 Ga.....\$4.75



No. 1371

Where space is limited, Tuck-a-Way model No. 1308 serves most kitchen weighing requirements. Decorative, as well as practical for accurate weight recording up to eight pounds. Also indicates shortening by cups and kilos up to $3\frac{1}{2}$ by 50 grams.

SPECIFICATIONS

Model No. 1308.....List \$3.45

Capacity: 8 lbs. x 2 ounces.

Finish: White, red or yellow Styron

plastic case.

Dial: White enamel.

Platform: 3½" dia.

Dimensions (1/" bish a

Dimensions: $6\frac{1}{2}$ " high x $5\frac{1}{2}$ " x $2\frac{1}{4}$ ".

Shipping weight: Master carton of 6—8 pounds.



No. 1308 Tuck-a-Way



No. 6 Scoop......List \$1.80 12" x 61/4" x 31/4" deep. Heavy tin. Packed six to a carton. Shipping weight 4 lbs.

UTILITY SCALES

Designed for farm and industrial weighing service. Extra heavy, rugged mechanism, Precision calibrated spring. Durable enamel finish. Easy to read dial. Adjusting nut so that pointer may be set to balance scoop or container.

SPECIFICATIONS No. 2060..List \$8.25 Capacity: 60 lbs. x 2 ounces. Dial: 8" dia. enamel. Platform: 7" square. 46 Dimensions: 101/2' x 71/4" x 8". Shipping weight: 40 Master carton of 39 38 six-50 lbs. No. 2060-FA 12.95 List \$12.00 Same as 2060 with glass protected dial

No. 2060

Light Commodity Scale

Calibrated by a readable ½ of an ounce graduation up to 32 ounces. Permits use of this scale for many industrial weighing problems, such as: restaurant portions, ice cream testing, sorting, counting, packaging, and many other uses. Special dials can be furnished for special uses.

SPECIFICATIONS /2.00 Model No. 1522.....List \$10.00

Capacity: 2 lbs. x 1/8 ounce.

Dial: 6½" dia. Black figures on white. Glass protected. Stainless steel bezel.

Dimensions: $6\frac{1}{2}$ " x $6\frac{1}{4}$ " x $9\frac{1}{2}$ " high.

Platform: Stainless steel, 5½" square.

Finish: White enamel.

Packing: One to a corrugated carton. Weight packed, master carton of eight, 40 lbs.



No. 1522



and stainless steel

bezel.

HANGING BALANCES



Approved Type Model 842 with B, C or P Attachments

SPECIFICATIONS

No. 842......List \$6.50

Capacity: 20 lbs. x 1 ounce in two revolutions.

Dimensions: 8" x 2" x 16".

Dial: 8" dia. Large numerals and easy to read graduations in black on white.

Shipping weight: Case of twelve—40 lbs.

No. B Scoop.....List \$3.00 Galvanized steel with chains. Dimensions: 17" x 115%" x

Packed 3 scales and 3 scoops to a shipping case. Weight: packed 18 lbs.

No. C Pon.......List \$3.00

11" Round white enameled pan and steel bow.
Packed one scale and one pan to a shipping box.
6 to a master carton.

Shipping weight: 35 lbs.



No. C-Pan

No. B--Scoop



No. P Funnel.....List \$3.00 8" x 12" x 3". Galvanized steel funnel with chains for live poultry grading. Net weight 11/4 lbs. Packed 6 to a carton, Shipping weight 10 lbs.

Approved Type

Warehouse or Cotton

Extra heavy construction for rugged service. Precision checked springs for accurate automatic weight recording. Tested to commercial tolerances as required by National Bureau of Standards. Equipped with heavy hook and ring.



SPECIFICATIONS

Model No. 8820..... Capacity: 200 lbs. x 1 lb.

Dial: 8" brass.

Dimensions: 8" x 2" x 18". Shipping weight: Master carton of 6-40 pounds.

Model No. 8810.....

Capacity: 100 lbs. x 1/2 lb.

Model No. 886...... List \$16.00

Capacity: 60 lbs. x 2 oz. Dial: 8" white enamel.

Other specifications same as 8820.

DAIRY SCALES

VIKING BALANCES

Hanson dairy scales are designed for farmers to check milk yield of each cow. Saves feed by eliminating non-producers. Scales are graduated by tenths of a pound to simplify calculations. Also provided with extra adjustable indicator so that weight of pail can be deducted, thus indicating net weight of milk in pail. Finish durable enamel. Dials are white with large easy to read figures and graduations in black.

SPECIFICATIONS

No. 60.....List \$6.50 Capacity: 60 lbs. x 1/10 lb. Dimensions: 8" x 2" x 17". Dial: 8" dia.

Shipping weight: Master carton of 6-22 lbs.

No. 40 ... Capacity: 40 lb/s. x 2/10 lb. Dimensions: 61/2" x 1/4" x 12". Dial: 61/2" dia. Shipping weight: Master carton of 12-30 lbs.



Approved Type

Straight Spring Balances, Heavy Duty

For use in factories, cotton fields, farms, warehouses or wherever a rugged, heavy duty balance of reliable accuracy is required. Dial is recessed for protection, graduations deep etched for durability and readability. Adjustment allows indicator to be set at zero to balance scoop or pan attached to hook. Complies with Federal Specifications. Type IV Class 2 Number A.A.A.—S-133 April 16, 1946.

SPECIFICATIONS

No. 8920 (illustrated)-

Capacity: 200 lbs. by 2 lbs. Dimensions, $3\frac{1}{4}$ " x $2\frac{1}{6}$ " x 19". Net weight, $5\frac{1}{6}$ lbs. Shipping weight, case lot of six, 34 lbs......List each \$6.00

No. 8930—Capacity: 300 lbs. by 5 lbs.....List \$9.00

No. 8910—Cayacity: 100 lbs. by 1 lb......List \$6.00

No. 895—Capacity: 50 lbs. by 1 lb. $1\frac{1}{2}$ " x $1\frac{1}{4}$ " x $9\frac{1}{4}$ ". Case of 12—12 lbs. Each......List \$3.25—3. 45

No. 892—Capacity: 25 lbs. by 1/2 lb......List \$3.25. 3. 45

No. 890—Viking, Jr. Capacity: 25 lbs. by 1 lb. \(\frac{1}{8}'' \) x \(\frac{3}{4}'' \) x \(\frac{6}{2}'' - \text{Not Legal for Trade.} \) Case of 72—15 lbs......List each \$0.69

